



**DIESEL HIGH PRESSURE PRO CART 18,5KW  
| 300 BAR/27,3 LPM**

**€25.750,00**

Diesel High Pressure Pro Cart Power (kW)  
18,5 | Power (HP) 25,2 | Pressure (bar) 300 |  
Pressure (psi) 4350 | Flow pump (LPM) 26 |  
(GPM) 6,7 | Engine / Motor Yanmar Diesel  
3TNV82A-UKYI2D Stage V | Type pump CH  
31/300

---

**SKU:** HDMD19-300-27CH-PRO

**Categories:** [High Pressure Units](#)

**Tags:** [Diesel](#), [PRO Cart](#)

## PRODUCT DESCRIPTION

Diesel High Pressure Pro Cart Power (kW) 18,5 | Power (HP) 25,2 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 26 | (GPM) 6.7 | Engine / Motor Yanmar Diesel 3TNV82A-UKYI2D Stage V | Type pump CH 31/300

## SPECIFICATIONS

|                         |                                      |
|-------------------------|--------------------------------------|
| Type pump               | CH 31/300                            |
| Fuel tank (GAL)         | 18                                   |
| Brand                   | DiveWise Equipment                   |
| Power (kW)              | 18,5                                 |
| Power (HP)              | 25,2                                 |
| Design pressure (bar)   | 300                                  |
| Design pressure (psi)   | 4350                                 |
| Flow pump (LPM)         | 31                                   |
| Flow pump (GPM)         | 8,2                                  |
| Flow (LPM)              | 27,33427807                          |
| Flow (GPM)              | 7,2                                  |
| RPM                     | 2800                                 |
| Engine/motor power      | 18,5                                 |
| Drive                   | Diesel                               |
| Engine / Motor          | Yanmar Diesel 3TNV82A-UKYl2D Stage V |
| Direction of rotation   | CW                                   |
| RPM shaft               | 1278,538813                          |
| Gear ratio              | 2,19                                 |
| Pump speed              | 1450                                 |
| Dimensions (LxWxH) (mm) | 1200x750x900                         |
| Lenght (mm)             | 1200                                 |
| Lenght (inch)           | 47,3                                 |
| Width (mm)              | 750                                  |
| Width (inch)            | 29,6                                 |
| Height (mm)             | 900                                  |
| Height (inch)           | 35,5                                 |

|                     |  |
|---------------------|--|
| <b>Weight (kg)</b>  | 350  |
| <b>Weight (lbs)</b> | 771,8  |
| <b>Application</b>  | Drilling, Grinding, Underwater cleaning of heavy fouling |