



**ECONOMIC CLEANING KIT WITH CW300  
CAVITATION GUN AND ELECTRIC HIGH  
PRESSURE UNIT (15 LPM AT 210 BAR)**

Complete set for cavitation cleaning.  
Including:  
High Pressure gun  
Economic Pump  
50 meter Neutrally Buoyant hose  
Supply pump

---

**SKU:** HDE210\_15, CW300T1, DE148-06-  
HS24M-HM24M-50000, EWSP230

**Categories:** [Cleaning kit](#)

**Tags:** [Cleaning kit](#), [Economic](#)

## PRODUCT DESCRIPTION

Economic cavitation cleaning kit for removing light and medium fouling, including:

CW300T1 Long Cavitation Cleaning gun (Max. 28 LPM at 300 bar)

Ergonomic handgun / Handle with safety latch / Swiveling Hose inlet connection / Stainless steel lance protection / Tapered lance end with red marking / Max. recommended working pressure 300 bar (4350 psi) / Maximum flow 28 LPM (7.5 gpm) / Safety ring shield on lance around nozzle / CE certified / SIR certified / Not according IMCA guidelines / Lance length 668mm / Weight 1600 gram (under water 800 gram) / Optional adjustable lance handle

HDE210\_15 Electric High Pressure Unit (15 LPM at 210 bar)

Electric motor 5,5 Kw / 400VAC 3-phase / 4 wheels with air tyres / Max. 1500 rpm / Strong, lightweight frame / Max. pressure 15 LPM at 210 bar (4 gpm at 3045 psi) / CE certified / Direct driven pump / Overheating thermostatic valve / Hour counter / Remote switch and motor cut-out with thermal relay / Emergency stop button / Big water filter at pump inlet, readily serviceable cartridge type / Pressure release valve for dry shutoff gun / Zero hose pressure regulator and emergency-stop remote for SIR certification (optional) / Connection and control for extern selfpriming pump 220vac / Weight 185kg / Dimensions: 850x540x950mm)

DE148-06-HS24M-HM24M-50000 3/8" Neutrally Buoyant High Pressure Hose (W.P. 250 bar) - 50 mtr  
3/8" Neutrally Buoyant High Pressure Hose (W.P. 250 bar) / 50 mtr / Quick-connect couplings /  
Recommended for ROV cavitation cleaning

EWSP230 Electric submersible water supply pump set 230V  
Electric water supply pump 230VAC with 10 meter 1 1/4" inch hose- GK-GK / quick-connect  
couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg / Maximum high pressure unit flow rate: 30  
L/min / Maximum pumping height: 4 m

**SPECIFICATIONS**