# ELECTRIC HIGH PRESSURE PRO CART WITH WATERCOOLED FREQUENCY INVERTER 22KW | 300 BAR/31 LPM

**€23.629,00**

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 22 | Power (HP) 29,9| Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 31 | (GPM) 8,2 | Engine / Motor Nicolini | Type pump CH 31/300

---

**SKU:** HDE22-300-31CH-PRO
**Categories:** High Pressure Units
**Tags:** Electric, PRO Cart

## PRODUCT DESCRIPTION

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 22 | Power (HP) 29,9| Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 31 | (GPM) 8,2 | Engine / Motor Nicolini | Type pump CH 31/300

DIVEWISE
EQUIPMENT

## SPECIFICATIONS

| | |
|---|---|
| **Type pump** | CH 31/300 |
| **Dimensions (LxWxH) (inch)** | 47,2×29,5×35,4 |
| **Brand** | DiveWise Equipment |
| **Power (kW)** | 22 |
| **Power (HP)** | 29,9 |
| **Design pressure (bar)** | 300 |
| **Design pressure (psi)** | 4350 |
| **Flow pump (LPM)** | 31 |
| **Flow pump (GPM)** | 8,2 |
| **Flow (LPM)** | 31 |
| **Flow (GPM)** | 8,2 |
| **RPM** | 1450 |
| **Engine/motor power** | 22 |
| **Drive** | Electric |
| **Engine / Motor** | Nicolini |
| **Direction of rotation** | CW |
| **RPM shaft** | 1450 |
| **Gear ratio** | 1 |
| **Pump speed** | 1450 |
| **Dimensions (LxWxH) (mm)** | 1200x750x900 |
| **Lenght (mm)** | 1200 |
| **Lenght (inch)** | 47,3 |
| **Width (mm)** | 750 |
| **Width (inch)** | 29,6 |
| **Height (mm)** | 900 |
| **Height (inch)** | 35,5 |

| | |
|---|---|
| **Weight (kg)** | 280 |
| **Weight (lbs)** | 617,4 |
| **Application** | Drilling, Grinding, Underwater cleaning of heavy fouling |
| **Voltage** | 3-phase 400VAC / 50 Hz (optional 440VAC / 60 Hz) |