


# ELECTRIC HIGH PRESSURE PRO CART WITH WATERCOOLED FREQUENCY INVERTER 30KW | 300 BAR/43 LPM

**€23.629,00**

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8| Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22

---

**SKU:** HDE30-300-43-PRO
**Categories:** High Pressure Units
**Tags:** Electric, PRO Cart

## PRODUCT DESCRIPTION

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8| Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22 | Max. Amperage 58A | Voltage 380~415 VAC at 50Hz and 380~430 VAC at 60 Hz | Phase connection 3-phase | Required power connector 3P + N + E | Required water supply 50 LPM at 1,5 bar

DIVEWISE
EQUIPMENT

## SPECIFICATIONS

| | |
|---|---|
| **Type pump** | PRO-T22 |
| **Dimensions (LxWxH) (inch)** | 47,2×29,5×35,4 |
| **Brand** | DiveWise Equipment |
| **Power (kW)** | 30 |
| **Power (HP)** | 40,8 |
| **Design pressure (bar)** | 300 |
| **Design pressure (psi)** | 4350 |
| **Flow pump (LPM)** | 43 |
| **Flow pump (GPM)** | 11,4 |
| **Flow (LPM)** | 43 |
| **Flow (GPM)** | 11,4 |
| **RPM** | 1450 |
| **Engine/motor power** | 30 |
| **Drive** | Electric |
| **Engine / Motor** | Nicolini |
| **Direction of rotation** | CW |
| **RPM shaft** | 1450 |
| **Gear ratio** | 1 |
| **Pump speed** | 1450 |
| **Dimensions (LxWxH) (mm)** | 1200x750x900 |
| **Lenght (mm)** | 1200 |
| **Lenght (inch)** | 47,3 |
| **Width (mm)** | 750 |
| **Width (inch)** | 29,6 |
| **Height (mm)** | 900 |
| **Height (inch)** | 35,5 |

| | |
|---|---|
| **Weight (kg)** | 325 |
| **Weight (lbs)** | 716,6 |
| **Application** | Drilling, Grinding, Underwater cleaning of heavy fouling |
| **Voltage** | 3-phase 400VAC / 50 Hz (optional 440VAC / 60 Hz) |