



**ELECTRIC HIGH PRESSURE PRO CART  
WITH WATERCOOLED FREQUENCY  
INVERTER 30KW | 300 BAR/43 LPM**

**€23.629,00**

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22

---

**SKU:** HDE30-300-43-PRO

**Categories:** [High Pressure Units](#)

**Tags:** [Electric](#), [PRO Cart](#)

## PRODUCT DESCRIPTION

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22 | Max. Amperage 58A | Voltage 380~415 VAC at 50Hz and 380~430 VAC at 60 Hz | Phase connection 3-phase | Required power connector 3P + N + E | Required water supply 50 LPM at 1,5 bar

**SPECIFICATIONS**

<b>Type pump</b>	PRO-T22
<b>Dimensions (LxWxH) (inch)</b>	47,2×29,5×35,4
<b>Brand</b>	DiveWise Equipment
<b>Power (kW)</b>	30
<b>Power (HP)</b>	40,8
<b>Design pressure (bar)</b>	300
<b>Design pressure (psi)</b>	4350
<b>Flow pump (LPM)</b>	43
<b>Flow pump (GPM)</b>	11,4
<b>Flow (LPM)</b>	43
<b>Flow (GPM)</b>	11,4
<b>RPM</b>	1450
<b>Engine/motor power</b>	30
<b>Drive</b>	Electric
<b>Engine / Motor</b>	Nicolini
<b>Direction of rotation</b>	CW
<b>RPM shaft</b>	1450
<b>Gear ratio</b>	1
<b>Pump speed</b>	1450
<b>Dimensions (LxWxH) (mm)</b>	1200x750x900
<b>Lenght (mm)</b>	1200
<b>Lenght (inch)</b>	47.3
<b>Width (mm)</b>	750
<b>Width (inch)</b>	29,6
<b>Height (mm)</b>	900
<b>Height (inch)</b>	35.5

<b>Weight (kg)</b>	325
<b>Weight (lbs)</b>	716,6
<b>Application</b>	Drilling, Grinding, Underwater cleaning of heavy fouling
<b>Voltage</b>	3-phase 400VAC / 50 Hz (optional 440VAC / 60 Hz)