



**OFFSHORE PRO KIT WITH CW202ROV ROV  
LANCE AND ELECTRIC HIGH PRESSURE  
UNIT 43 LPM AT 300 BAR)**

Complete set Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:  
High Pressure ROV gun  
Offshore PRO Pump  
50 meter Neutrally buoyant hose  
Supply pump

---

**SKU:** HDE30-300-43-PRO, CW202ROV,  
DE149-08-HS24M-HM24M-50000,  
EWSP230-1

**Categories:** [Cleaning kit](#)

**Tags:** [Cleaning kit](#), [Offshore PRO](#)

## PRODUCT DESCRIPTION

Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:

CW202ROV ROV Zero-thrust Cavitation Cleaning Lance (Max. 80 LPM at 300 bar)

CW202ROV Cavitation and retro lance set for ROV with splitter / Stainless steel lance protection / Tapered lance end with red marking / Max. recommended working pressure 300 bar (4350 psi) / Maximum design pressure 500 bar (7250 psi) / Maximum flow 80 LPM (21 gpm) / CE certified / Lance length 280mm / Retro lance length 225mm

HDE30-300-43-PRO Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22

DE149-08-HS24M-HM24M-50000 1 / 2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) - 50 mtr

1 / 2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) / 50 mtr / Quick-connect couplings / Recommended for ROV cavitation cleaning

EWSP230 Electric water supply pump 230V

Electric water supply pump 230VAC with 10 meter 1" hose / quick-connect couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg

## SPECIFICATIONS