



**OFFSHORE PRO KIT WITH SR550  
CAVITATION CLEANER AND ELECTRIC  
HIGH PRESSURE UNIT (43 LPM AT 300 BAR)**

Complete set Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:  
 Rotor cleaner  
 Offshore PRO Pump  
 50 meter Neutrally buoyant hose  
 Supply pump

---

**SKU:** HDE30-300-43-PRO, SR550T1, DE149-08-HS24M-HM24M-50000, EWSP230-1

**Categories:** [Cleaning kit](#)

**Tags:** [Cleaning kit](#), [Offshore PRO](#)

## PRODUCT DESCRIPTION

Offshore PRO cavitation cleaning kit for removing medium to hard fouling, including:

SR550T1 Cavitation Cleaning Surface Rotor Cleaner 550mm

Round plastic dome 550mm / Remote handle with safety latch / Swiveling hose inlet connection / 2" camlock hose connection / with high pressure water injector inlet on 2" connection / Max. working pressure 40 LPM at 300 bar / 2 handgrips / 3 castors / corrosion resistant materials / CE certified

HDE30-300-43-PRO Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30

Electric High Pressure Pro Cart with watercooled frequency inverter Power (kW) 30 | Power (HP) 40,8 | Pressure (bar) 300 | Pressure (psi) 4350 | Flow pump (LPM) 43 | (GPM) 11,4 | Engine / Motor Nicolini | Type pump PRO-T22

DE149-08-HS24M-HM24M-50000 1 /2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) - 50 mtr

1 / 2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) / 50 mtr / Quick-connect couplings /  
Recommended for ROV cavitation cleaning

EWSP230 Electric water supply pump 230V

Electric water supply pump 230VAC with 10 meter 1" hose / quick-connect couplings / 270W /  
270mm x 200mm x 435mm / 15.8 kg

## SPECIFICATIONS