



**SEMI PRO KIT WITH CW202ROV  
CAVITATION ROV GUN AND DIESEL HIGH  
PRESSURE UNIT (30 LPM AT 280 BAR)**

Complete set for cavitation cleaning.  
Including:  
ROV gun  
Semi PRO Pump  
50 meter Neutrally Buoyant hose  
Supply pump

---

**SKU:** HDMD280\_30, CW202ROV, DE149-08-  
HS24M-HM24M-50000, EWSP230

**Categories:** [Cleaning kit](#)

**Tags:** [Cleaning kit](#), [Diesel](#), [Semi PRO](#)

## PRODUCT DESCRIPTION

Semi PRO cavitation cleaning kit for removing medium to hard fouling, including:

CW202ROV ROV Zero-thrust Cavitation Cleaning Lance (Max. 50 LPM at 300 bar)

CW202ROV Cavitation and retro lance set for ROV with splitter / Stainless steel lance protection / Tapered lance end with red marking / Max. recommended working pressure 300 bar (4350 psi) / Maximum design pressure 500 bar (7250 psi) / Maximum flow 50 LPM (13.2 gpm) / CE certified / Lance length 280mm / Retro lance length 225mm

HDMD280\_30 Diesel High Pressure Unit (30 LPM at 280 bar)

Diesel driven, 2 cylinder Aircooled KohlerKDW1003 / 4 wheels with air tyres / Max. 1500 rpm / Strong, lightweight frame / Max. pressure 30 LPM at 280 bar (7.9 gpm at 4060 psi) / CE certified / Gearbox driven pump / Electrical starting / Automatic decelerator to reduce the number of revs in the bypass phase / No engine-oil safety device (oil-alert) / Big water filter at pump inlet, readily serviceable cartridge type / Pressure release valve for dry shutoff gun / Zero hose pressure regulator and emergency-stop remote for SIR certification (optional) / Weight 285kg / Dimensions 1370x850x1020mm

DE149-08-HS24M-HM24M-50000 1/2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) - 50 mtr  
1/2" Neutrally Buoyant High Pressure Hose (W.P. 390 bar) / 50 mtr / Quick-connect couplings /  
Recommended for ROV cavitation cleaning

EWSP230 Electric submersible water supply pump set 230V  
Electric water supply pump 230VAC with 10 meter 1 1/4" inch hose- GK-GK / quick-connect  
couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg / Maximum high pressure unit flow rate: 30  
L/min / Maximum pumping height: 4 m

**SPECIFICATIONS**