

**SEMI PRO KIT WITH DR200 DRILL AND ELECTRIC HIGH PRESSURE UNIT (33 LPM AT 250 BAR)**

Complete set for cavitation cleaning.
Including:
Underwater Tool
Semi PRO Pump
2 x 20 meter Rubber hose
Supply pump

---

**SKU:** HDE250_33, DR200T1, DE522-08-HS24M-HM24M-20000, EWSP230
**Categories:** Drilling kit
**Tags:** Drilling kit, Semi PRO

## PRODUCT DESCRIPTION

Semi PRO cavitation cleaning kit for removing medium to hard fouling, including:

DR200T1 Waterhydraulic Underwater Drill
Including:
- ToolHose 2m 1/4" (2x)
- Storage Case
- Maintenance Tool

Underwater drilling tool / Control lever with safety button / Swiveling hose inlet connection / Water hydraulic driven / Max. working pressure 40 LPM at 300 bar / Max. 15,000 rpm / Max. 6Kw / M14x2 connection and quickclamping drillhead / Weight 2000 gram (under water 1500 gram) / corrosion resistant materials / CE certified

HDE250_33 Electric High Pressure Unit (33 LPM at 250 bar)
Electric motor 14,7 Kw / 400VAC 3-phase / 4 wheels with air tyres / Max. 1500 rpm / Strong, lightweight frame / Max. 33 LPM at 300bar (8,7 gpm at 3625 psi) / CE certified / Direct driven pump / Overheating thermostatic valve / Hour counter / Emergency stop button / Remote switch and motor

cut-out with thermal relay / Big water filter at pump inlet, readily serviceable cartridge type / Pressure release valve for dry shutoff gun / Zero hose pressure regulator and emergeny-stop remote for SIR certification (optional) / Weight 175kg / Dimensions 1000x750x850mm

DE522-08-HS24M-HM24M-20000 1 /2" Rubber High Pressure Hose (W.P. 440 bar) - 20 mtr (2x)
1 /2" Rubber High Pressure Hose (W.P. 440 bar) / 20 mtr / Quick-connect couplings / Recommended for underwater Tools

EWSP230 Electric submersible water supply pump set 230V
Electric water supply pump 230VAC with 10 meter 1 1/4" inch hose- GK-GK / quick-connect couplings / 270W / 270mm x 200mm x 435mm / 15.8 kg / Maximum high pressure unit flow rate: 30 L/min / Maximum pumping height: 4 m

## SPECIFICATIONS